# **SAFETY DATA SHEET**

Clarion® Food Machinery Grease, No. 2



### Section 1. Identification

GHS product identifier	: Clarion <sup>®</sup> Food Machinery Grease, No. 2
Synonyms	: Lubricating grease; CITGO <sup>®</sup> Material Code: 655699009
Material uses	: Lubricating grease
Code	: 655699009
MSDS #	: 655699009
Supplier's details	: CITGO Petroleum Corporation P.O. Box 4689 Houston, TX 77210 sdsvend@citgo.com
Emergency telephone number (with hours of operation)	<ul> <li>Technical Contact: (800) 248-4684 (M-F, 8 AM to 4 PM) Medical Emergency: (832) 486-4700 (24 Hr) CHEMTREC Emergency: (800) 424-9300 (24 Hr) (United States Only)</li> </ul>

## Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the	: Not classified.
substance or mixture	
GHS label elements	
Signal word	: Warning
Hazard statements	: Injection of pressurized hydrocarbons can cause severe permanent tissue damage. Initial symptoms may be minor.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: Injection of petroleum hydrocarbons requires immediate medical attention.

## Section 3. Composition/information on ingredients

Substance/mixture	4	Mixture
Other means of identification		Lubricating grease; CITGO <sup>®</sup> Material Code: 655699009

### **CAS number/other identifiers**

CAS number : Not applicable.		
Ingredient name	%	CAS number
White mineral oil (petroleum) calcium(2+) 12-hydroxyoctadecanoate	≥75 - ≤90 ≥10 - ≤25	8042-47-5 3159-62-4

### Section 3. Composition/information on ingredients

Any concentration shown as a range is to protect confidentiality or is due to process variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.</li> </ul>
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	<ul> <li>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</li> </ul>

#### Most important symptoms/effects, acute and delayed

in out in portaine of inprovince	
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	<ul> <li>Injection of pressurized hydrocarbons can cause severe permanent tissue damage. Initial symptoms may be minor.</li> </ul>
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>ptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>In the event of injection in underlying tissue, immediate treatment should include extensive incision, debridement and saline irrigation. Inadequate treatment can result in ischemia and gangrene. Early symptoms may be minimal.</li> </ul>
Specific treatments	: Treat symptomatically and supportively.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.

## Section 5. Fire-fighting measures

•	-
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	nt	ainment and cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene		Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Bulk Storage Conditions: Do not apply heat or flame to stockpiled material. Rotate stock to reduce the potential for hot spots. Do not store with oxidizers. Minimize dust creation by keeping material moist and/or covered.

## Section 8. Exposure controls/personal protection

Control parameters		
Occupational exposure lim	<u>nits</u>	
White mineral oil (petroleum	1)	ACGIH TLV (United States, 3/2018). TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Inhalable fraction NIOSH REL (United States, 10/2016). TWA: 5 mg/m <sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Mist OSHA PEL (United States, 5/2018). TWA: 5 mg/m <sup>3</sup> 8 hours.
calcium(2+) 12-hydroxyocta	decanoate	ACGIH TLV (United States). TWA: 10 mg/m <sup>3</sup> 8 hours.
Appropriate engineering controls	: Good general ventilation shoul contaminants.	d be sufficient to control worker exposure to airborne
Environmental exposure controls	they comply with the requireme	work process equipment should be checked to ensure ents of environmental protection legislation. In some engineering modifications to the process equipment will ons to acceptable levels.
Individual protection measu	<u>ires</u>	
Hygiene measures	eating, smoking and using the Appropriate techniques should	the constant of the second sec
Eye/face protection	industrial settings. If contact is the assessment indicates a hig an approved standard should b	side shields are recommended as minimum protection in possible, the following protection should be worn, unless ther degree of protection: Safety eyewear complying with be used when a risk assessment indicates this is o liquid splashes, mists, gases or dusts. If inhalation ator may be required instead.
Skin protection		
Hand protection		plying with an approved standard should be worn at all products if a risk assessment indicates this is necessary.
Body protection		for the body should be selected based on the task being ed and should be approved by a specialist before
Other skin protection		additional skin protection measures should be selected med and the risks involved and should be approved by a product.
Respiratory protection	respirator complying with an an necessary. Respirator selection	brs, mists or dusts. Use a properly fitted, particulate filter oproved standard if a risk assessment indicates this is on must be based on known or anticipated exposure uct and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

Physical state	: Solid. [Smooth texture]
Color	: Light amber
Odor	: Faint odor.
рН	: Not available.
Boiling point	: 316°C (600.8°F)
Flash point	: Open cup: >150°C (>302°F) [Estimated]
Evaporation rate	: <1 (n-butyl acetate. = 1)

Date of issue/Date of revision

018

## Section 9. Physical and chemical properties

Lower and upper explosive (flammable) limits	: Lower: 1% Upper: 7%
Vapor pressure	: >0.013 kPa (>0.1 mm Hg) [room temperature]
Vapor density	: >10 [Air = 1]
Relative density	: 0.89
Density lbs/gal	: Estimated 7.42 lbs/gal
Density gm/cm <sup>3</sup>	: Not available.
Gravity, °API	: Estimated 27 @ 60 F
Solubility	: Insoluble in the following materials: cold water.
Flow time (ISO 2431)	: Not available.
NLGI Grade	: 2

## Section 10. Stability and reactivity

Reactivity	: Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
White mineral oil (petroleum)	LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg >5000 mg/kg	-
Conclusion/Summary	<ul> <li>White mineral oil (petroleum, 25,45,50,70] DRAIZE EYE, Acute: Non-irrita DRAIZE DERMAL, Acute: Nor BUEHLER, Acute: Non-sensita 28-Day DERMAL, Sub-Chronic: 104-Week DERMAL, Chronic: MUTAGENICITY: Modified Ames Assay: Neg in-vitro Lymphoma Assay: I Lifetime mouse skin painting st or carcinogenic. Mineral oil mi low acute and sub-acute toxicit repeated exposures to high con workplace exposure levels incl formation and lipoid pneumonia lower concentrations of mineral produced no significant toxicole carcinogenic effects have been</li> </ul>	ating [Rabbit]. i-irritating [Rabbit]. izing [Guinea Pi izing [Guinea Pi No skin tumors ative [Salmonel Negative or no t udies indicated sts derived from ies in animals. incentrations of ude lung inflam a. In acute and l oil mists at or ogical effects. I	bit]. g]. [Rabbit]. s at site of application lla typhimurium]. toxicity [Mouse]. that white mineral oi highly refined oils a Effects from single a mineral oil mists well matory reaction, lipoi sub-acute studies in near current work pla n long term studies (	n [Mouse]. Is are not mutagen re reported to have and short-term above applicable d granuloma volving exposures ace exposure levels up to two years) no

5/10

## Section 11. Toxicological information

#### Irritation/Corrosion

#### Not available.

Not available.	
Skin Eyes Respiratory <u>Sensitization</u> Not available.	<ul> <li>No additional information.</li> <li>No additional information.</li> <li>No additional information.</li> </ul>
Skin Respiratory <u>Mutagenicity</u> Not available.	<ul><li>No additional information.</li><li>No additional information.</li></ul>
Conclusion/Summary Carcinogenicity Not available.	: No additional information.
Conclusion/Summary Reproductive toxicity Not available.	: No additional information.
Conclusion/Summary <u>Teratogenicity</u> Not available.	: No additional information.
Conclusion/Summary Specific target organ toxicit Not available.	: No additional information. <u>y (single exposure)</u>
Specific target organ toxicit Not available.	<u>y (repeated exposure)</u>
Aspiration hazard Not available.	
Information on the likely routes of exposure	: Routes of entry anticipated: Dermal.
Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: Injection of pressurized hydrocarbons can cause severe permanent tissue damage. Initial symptoms may be minor.
Ingestion	: No known significant effects or critical hazards.
Symptoms related to the phy	sical, chemical and toxicological characteristics
Eve contact	No specific data

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### <u>Delayed and immediate effects and also chronic effects from short and long term exposure</u> <u>Short term exposure</u>

Date of issue/Date of revision	: 11/12/2019
Date of issue/Date of revision	: 11/12/2019

## Section 11. Toxicological information

	5
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
<u>Long term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health eff	<u>ects</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

## Section 12. Ecological information

Toxicity			
Product/ingredient name	Result	Species	Exposure
White mineral oil (petroleum)	LC50 >2000 mg/l	Fish	96 hours
Conclusion/Summary	: Not available.		

#### Persistence and degradability

Conclusion/Summary	: Not available.		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
White mineral oil (petroleum)	-	-	Not readily

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
White mineral oil (petroleum)	>6	-	high

#### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid

Date of issue/Date of revision	: 11/12/2019	Date of previous issue	: 4/19/2018	Version : 3	7/10
--------------------------------	--------------	------------------------	-------------	-------------	------

### Section 13. Disposal considerations

dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	DOT Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

### Section 15. Regulatory information

U.S. Federal regulations	: United S	States inventory (TSCA 8	b): All components a	are listed or exe	empted.	
	and the sheen or	terial is classified as an oil Oil Pollution Act of 1990 (C n waters of the United State waters must be reported 2.	PA). Discharges or es, their adjoining sl	<sup>-</sup> spills which pronorelines, or inter	oduce a vis o conduits l	iblé eading
SARA 302/304						
Composition/information	n on ingredient	<u>s</u>				
SARA 304 RQ	: Not applic	able.				
<u>SARA 311/312</u>						
Classification	: Not applic	able.				
Composition/information	<u>ı on ingredient</u>	<u>s</u>				
No products were found.						
State regulations						
Massachusetts	: None of the	ne components are listed.				
New York	: None of the	ne components are listed.				
New Jersey	: None of the	ne components are listed.				
Pennsylvania	: None of the	ne components are listed.				
International regulations						
Inventory list						
United States	: All compo	nents are listed or exempt	ed.			
Date of issue/Date of revision	: 11/12/2019	Date of previous issue	: 4/19/2018	Version	:3	8/10

Date of issue/Date of revision	: 11/12/2019	Date of previous issue	: 4/19/2018	Version : 3	8/
--------------------------------	--------------	------------------------	-------------	-------------	----

### Section 15. Regulatory information

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: All components are listed or exempted.
Europe	: All components are listed or exempted.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
Viet Nam	: Not determined.

### Section 16. Other information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

	Justification		
Not classified.			
History			
Date of printing	: 11/14/2019		
Date of issue/Date of revision	: 11/12/2019		
Date of previous issue	: 4/19/2018		
Version	: 3		
Key to abbreviations	<ul> <li>3</li> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations</li> </ul>		
References	: Not available.		
Indicates information that	at has changed from previously issued version.		

9/10

### Section 16. Other information

#### Notice to reader

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

Clarion is a registered trademark of CITGO Petroleum Corporation